

4-2016

Measuring Cultural Relatedness Using Multiple Seriation Ordering Algorithms

Mark E. Madsen

University of Washington - Seattle Campus

Carl P. Lipo

Binghamton University--SUNY, clipo@binghamton.edu

Follow this and additional works at: https://orb.binghamton.edu/anthropology_fac



Part of the [Anthropology Commons](#)

Recommended Citation

Madsen, Mark E. and Lipo, Carl P., "Measuring Cultural Relatedness Using Multiple Seriation Ordering Algorithms" (2016).

Anthropology Faculty Scholarship. 15.

https://orb.binghamton.edu/anthropology_fac/15

This Conference Proceeding is brought to you for free and open access by the Anthropology at The Open Repository @ Binghamton (The ORB). It has been accepted for inclusion in Anthropology Faculty Scholarship by an authorized administrator of The Open Repository @ Binghamton (The ORB). For more information, please contact ORB@binghamton.edu.

Measuring Cultural Relatedness Using Multiple Seriation Ordering Algorithms

Mark E. Madsen and Carl P. Lipo

Manuscript version: 2016-03-17: 3f6f16a– draft for Electronic Symposium, “Evolutionary Archaeologies: New Approaches, Methods, And Empirical Sufficiency” at the Society for American Archaeology conference, April 2016

Abstract Seriation is a long-standing archaeological method for relative dating that has proven effective in probing regional-scale patterns of inheritance, social networks, and cultural contact in their full spatiotemporal context. The orderings produced by seriation are produced by the continuity of class distributions and unimodality of class frequencies, properties that are related to social learning and transmission models studied by evolutionary archaeologists. Linking seriation to social learning and transmission enables one to consider ordering principles beyond the classic unimodal curve. Unimodality is a highly visible property that can be used to probe and measure the relationships between assemblages, and it was especially useful when seriation was accomplished with simple algorithms and manual effort. With modern algorithms and computing power, multiple ordering principles can be employed to better understand the spatiotemporal relations between assemblages. Ultimately, the expansion of seriation to additional ordering algorithms allows us an ability to more thoroughly explore underlying models of cultural contact, social networks, and modes of social learning. In this paper, we review our progress to date in extending seriation to multiple ordering algorithms, with examples from Eastern North America and Oceania.

Mark E. Madsen

Dept. of Anthropology, University of Washington, Box 353100, Seattle, WA 98195 e-mail: mark@madsenlab.org

Carl P. Lipo

Environmental Studies Program and Dept. of Anthropology, Binghamton University, 4400 Vestal Parkway East Binghamton, NY 13902-6000 e-mail: clipo@binghamton.edu

1 Introduction

Seriation is a set of methods that uses patterns in the occurrence or abundance of historical classes to construct an ordering among otherwise unordered assemblages or objects (Dunnell, 1970). Its early 20th century developers built seriation as a relative dating method and orders constructed by seriation were intended to be chronological (O'Brien and Lyman, 2000, 1998; Lyman and O'Brien, 2006; O'Brien and Lyman, 1999; Lyman et al., 1997). While practitioners such as James Ford (Ford, 1938; Phillips et al., 1951; Ford, 1935) noted that seriation techniques also create orderings which incorporate the effects of spatial variation in addition to temporal change, the dominant use of seriation in archeology has been chronological.

As a chronological tool, seriation has been success in developing an understanding the large-scale temporal structure of the archaeological record in the New World (Beals et al., 1945; Bluhm, 1951; Evans, 1955; Ford, 1949; Kidder, 1917; Mayer-Oakes, 1955; Meggers and Evans, 1957; Phillips et al., 1951; Rouse, 1939; Smith, 1950). Despite this success, the method has largely been ignored since the advent of radiocarbon dating given its primary association as a relative dating method. But seriation is only a dating method in the sense that chronology is one possible inference that can be obtained by mapping the spatiotemporal pattern of change in cultural variants. Other inferences are possible, and in particular, there is a growing understanding that seriation is one of several methods for inferring historical and heritable continuity and thus documenting the evolutionary history of past populations (e.g., Lipo et al., 1997; Lipo and Madsen, 2000; Lipo, 2001a; Lipo, 2001b; Lipo, 2005; Lipo and Madsen, 1997; Lipo et al., 2015; Neiman, 1995; O'Brien and Lyman, 1999, Ch. 3; Teltser, 1995).

Seriation is based on the notion that the frequencies of classes of artifacts reflect heritable continuity when it arises from information being passed between populations over time; that is, from cultural transmission processes. Although the fact that seriation, in some sense, measures cultural transmission has been implicit since the earliest discussions of the method (e.g., Kroeber, 1923), the connection remained a common sense generalization until the mid 1990's. Fraser Neiman, in his dissertation (Neiman, 1990) and later his seminal 1995 article (Neiman, 1995), noted that the unimodal patterns that form the core of the traditional frequency seriation technique are regularly seen in the trajectories seen when simulating unbiased transmission. In order to make this connection both rigorous and useful in empirical work, we began a research program aimed at exploring the connection between cultural transmission models and seriation methods (Lipo et al., 1997). Our investigation into seriation has resulted in numerous publications, new seriation software algorithms, and many conference papers (Lipo and Eerkens, 2008; Lipo and Madsen, 2001; Lipo, 2001b, 2005; Lipo and Madsen, 1997; Lipo et al., 2015; Madsen and Lipo, 2014, 2015; Madsen et al., 2008; O'Brien et al., 2015).

The core of the all seriation techniques are a set of "ordering principles" which describe how the data points making up each assemblage or object are rearranged in order to achieve a valid seriation solution. Traditionally, there are two principles: occurrence and frequency (Dunnell, 1970; Rouse, 1967; Whitlam, 1981). The

“occurrence principle” states that a valid ordering leaves no temporal gaps in the distribution of the historical classes used, and thus that temporal orders are continuous (Dempsey and Baumhoff, 1963; Rowe, 1959). The “frequency” or “popularity” principle states that in a valid ordering, the frequencies making up the continuous distribution of each historical type will be unimodal, possessing a single peak of “popularity” (Nelson, 1916).




Fig. 1 Dunnell (1981) defines seriation to be a set of methods which use historical classes to chronologically order otherwise unordered archaeological assemblages and/or objects. Historical classes are those which display more variability through time than through space. Occurrence seriation uses presence/absence data for each historical class from each assemblage (Kroeber, 1916; Petrie, 1899). Frequency seriation uses ratio level abundance information for historical classes (Spier, 1917; Ford, 1935, 1962). Frequency and occurrence seriation techniques can take the form of deterministic algorithms that require an exact match with the unimodal model or probabilistic algorithms that accept departures from an exact fit. Identity approaches employ raw data (whether frequency or occurrence) to perform the ordering. Similarity approaches transform the raw data into a non-unique coefficient (e.g., Brainerd Robinson, squared Euclidean distance); the coefficients then form the basis for ordering.

Both the frequency and occurrence principle work to sort descriptions of assemblages through time. The robustness of methods built on these principles is easily demonstrated by the continued utility of the basic chronological frameworks erected by culture historians in the first half of the 20th century using seriation along with stratigraphy and marker types (Lyman et al., 1997). It is intriguing to note, however, that the frequency principle remains an empirical generalization that is only suggested by the generalized behavior of cultural transmission models, rather than being a necessary consequence. From Neiman’s simulations (i.e., Neiman, 1995), one can see that the results of cultural transmission are not strictly or necessarily unimodal. This possibility suggests to us that seriation as a method requires further methodological development, especially if it is to be one of our major tools in tracing historical and heritable continuity in the archaeological record.¹

¹ Cladistics and phylogenetic methods, especially those which take into account temporal differences in the samples being studied (stratocladistics) and which are capable of yielding phyloge-

In this paper, we explore an alternative to unimodality and the “popularity principle” that drives classical frequency seriation: exact minimization of inter-assemblage distance metrics, or “continuity” seriation. Although not a new principle, it was underappreciated especially prior to the contemporary explosion of computing power. We demonstrate that an exact form of distance minimization, in contrast to the statistical or approximate minimization associated with multidimensional scaling, generates solutions that are often identical to the application of unimodality to the same data. Furthermore, using simulated data, we examine situations where frequency and continuity seriations may differ in minor ways, without affecting the overall ordering of the data set. Although there is still great value in the classical approach, the advantage of developing new seriation approaches is that we can often apply distance minimization to classes and types which do not necessarily display the classical unimodal form, which opens seriation to wider classes of data. In addition, distance minimization can be formulated within large scale, parallel machine learning frameworks, and thus made applicable to contemporary data sets which are often orders of magnitude larger than those we face in archaeological contexts.

2 Seriation and the Frequency Principle

Seriation, in the Americanist sense, was initially developed by Alfred Kroeber ([Kroeber, 1916](#)) in the Southwest, based on his observations of changes in the relative abundance of forms of ceramic decorations found on sherds located in assemblages near Zuni Pueblo. The primitive seriation proposed by Kroeber was quickly amended by Leslie Spier, Alfred V. Kidder and Nels C. Nelson all of whom were conducting stratigraphic excavations in the American Southwest ([Kidder, 1917](#); [Nelson, 1916](#); [Spier, 1917](#)). This group of researchers all noticed that when ceramics were described in a particular way – called “stylistic” by Kidder ([1917](#)) – the temporal distribution of the types took the form of “normal curves.” Using such types, it was apparent that a series of assemblages collected from the surface or otherwise undated could be arranged in chronological order by rearranging them so that all type distributions approximated “normal curves” simultaneously. The orders constructed in this way could also be tested by finding stratified deposits and were found to be correct. The resulting method then went on to dominate archaeological practice for much of the next 50 years ([Lyman et al., 1997](#)).

As powerful as seriation proved to be, these early formulations were entirely intuitive and based on the generalization that greater temporal differences between assemblages caused larger differences between frequencies of decorated types, and that properly constructed historical types displayed a clear pattern of change ([Phillips et al., 1951](#), p. 220):

netic networks in addition to trees, are the other major tools by which we can measure heritable and historical continuity.

If our pottery types are successful measuring units for a continuous stream of changing cultural ideas, it follows that when the relative popularity of these types is graphed through time, a more or less long, single-peak curve will usually result. Put in another way, a type will first appear in very small percentages, will gradually increase to its maximum popularity, and then, as it is replaced by its succeeding type, will gradually decrease and disappear.

This compactly describes the “popularity principle,” originally articulated by Nelson (1916) and Wissler (1916). A key word in the above is “usually,” since not all types display the unimodal distribution described, even when the attributes chosen are explicitly stylistic and decorative. Types suitable for frequency seriation were a subset of stylistic variation, comprising those which displayed spatial and temporal contiguity, a long enough duration that the types overlapped in their representation among sites and assemblages, and those whose distribution through time displayed the characteristic unimodal form which allowed the analyst to arrange them by eye. Culture historians also minimized the effect of chance and potential recurrence by insisting that the classes used for measurement were constructed from multiple dimensions (Phillips et al., 1951; Lipo, 2001a). The overall process of constructing and testing such types became known, after Krieger (1944), as applying the “test of historical significance.”

2.1 Unimodality and Cultural Transmission Processes

In most cases (such as the above quote from Phillips, Ford, and Griffin), the popularity principle is simply assumed to hold in culture-historical applications. It is clear that culture historians assumed that what generates heritable continuity, and thus allows the tracing of chronological relations, is cultural transmission. As Lyman (2008) documents in careful detail, early 20th century anthropology and archaeology understood and discussed a variety of transmission processes informally, as generating the patterns they studied, even if they used different terms and did not form quantitative models for it. Rouse (1939), for example, explicitly discussed the diffusion of cultural traits, in terms that we now recognize as a spatiotemporal model of transmission. Kroeber, the father of frequency seriation, clearly understood the connection between his previous work and trait diffusion (Kroeber, 1937). Deetz and Dethlefsen (1965; 1971) noted the spatial dimension to trait diffusion. There are many more examples (Lyman, 2008).

Interest in studying cultural transmission in an explicit way has a long history in archaeology. Since the 1970s, archaeologists have worked with models of diffusion, with those models becoming increasingly quantitative, statistical, and even explicitly mathematical (e.g., Ammerman and Cavalli-Sforza, 1971). These models of diffusion, however, tended to be deterministic, especially those stemming from the interdisciplinary literature on the diffusion of innovations (e.g., Rogers, 2003). Deterministic models, however, ignore the essential historically contingent pathways of culture transmission that produce the patterns noted by culture historians as historically significant. More recently archaeologists have become interested in

developing models for individual social learning events (e.g., Mesoudi et al., 2008). Individual social models, however, do not necessarily “add up” to produce a population level effect, and the latter is what we need to understand in order to solidly ground a seriation ordering algorithm in cultural transmission.

It was not until archaeologists began working with stochastic models of cultural transmission, however, that we could easily visualize the sheer variety of patterns that cultural transmission processes can, and do, generate. Stochastic models of transmission allow us to easily explore the precise conditions under which unimodal distributions occur in type frequencies, what classification methods tend to produce it, and what dimensions of variation combine to produce mostly unimodal behavior.

Dunnell’s (1978) exposition of style as neutral variation was one key step in the adoption of stochastic models of drift from population genetics as the main tool for exploring cultural transmission dynamics. Neiman (1995) took this step substantially further when he simulated drift in cultural variants as an unbiased transmission process, as shown in Figure 2. Immediately apparent is the fact that some variants do display unimodal patterns, but most variants are multimodal or display violations of unimodality at small scales even if the macroscopic shape seems to conform to the popularity principle.




Fig. 2 Neiman’s simulation of drift in cultural variant frequencies under unbiased cultural transmission (reproduction of Figure 2a from Neiman 1995.)

The lesson of Figure 2 is that there is nothing necessary about unimodality given cultural transmission, but that it can occur. But culture historical types used in seriation were **constructed** to yield unimodal distributions, and a key element in such construction is ensuring that types are composed of multiple dimensions of varia-

tion which co-occur on artifacts identified to that type. We can imagine selecting the traits shown in Figure 2 and intersecting combinations of them to form multidimensional classes. In doing so, it is likely that unique combinations of those variants would not recur and the role of chance in the occurrence of combinations of traits would be minimized. Thus, such practices likely contribute to the presence unimodal distributions. It is also likely that time averaging (ubiquitous in the archaeological record) smooths out some of the minor variation in variant frequencies, as will the vagaries of sampling archaeological deposits.

Taken together, these factors seem to explain why the intuitive construction of historical types, from the continuous flow of the products of cultural transmission processes, worked to produce chronology through application of the common-sense popularity principle, and why not all artifact classes constructed from otherwise “stylistic” dimensions of variation, are suitable for frequency seriation using unimodality as the ordering criterion. From the perspective of culture historians, unimodality was a sufficient criteria for recognizing patterns that were likely chronological from those that were likely not. While focusing on only those classes that produced unimodal distributions in class frequencies might have ignored other potentially historical significant classes, without any other means of identifying chronological patterns, the culture historians were satisfied with the subset that worked.

2.2 *Continuity: An Alternative to Unimodality*

There are several reasons why we should explore alternatives to unimodality as an ordering algorithm for frequency seriation. First, from a performance perspective, searching for unimodal orders is computationally expensive, even for relatively small data sets (Madsen and Lipo, 2014). Even with the iterative, agglomerative method that we introduced recently (Lipo et al., 2015), the computation time can grossly exceed computing capacity for data sets as small as 30. While 30 is a large number of assemblages by most archaeological standards especially when adequate sample size requirements are met, it is a serious limitation. Without good techniques and ordering principles seriation may not scale to much larger problems, and even be applicable to the flood of data seen in modern day life.

Second, and more importantly from a theoretical perspective, it is important to be able to trace heritable continuity even if does not display a particular type of temporal frequency distribution. Using traditional type construction methods and the test of historical significance, culture historians were able to find **enough** conforming types and classes to construct regional chronologies. The goal of culture historians was to build chronologies using the most efficient means possible to do so, not study combinations of trait transmission through time and space. The use of seriation as a method for tracing evolutionary relationships is a more demanding task than establishing rough chronology in a region. Thus, it is worth searching for additional ordering principles that may be useful for seriating more classes of

cultural variants. Specifically, there is strong relationship between the number of classes in a seriation, and our ability to map differences across space and time. We need methods that can evaluate arbitrary sets of classes to arrive at the most detailed understanding of cultural transmission landscapes.

For example, Madsen (2015) is presently working on classifying regional interaction models by the structural properties they leave behind when cultural transmission is simulated on such regional models and then seriated. Doing this kind of detailed analysis requires many types and frequently, many assemblages to be successful. Even if unimodality suffices for rough chronology, additional ordering principles will be highly useful for studying regional interaction and the evolutionary history of technology.

A theoretically sound ordering principle for seriation should be derivable from characteristics of the underlying cultural transmission processes that we believe drive the spatiotemporal variation seriation measures. Formal models of cultural transmission, such as those formulated by Boyd and Richerson, Cavalli-Sforza and Feldman, and borrowed from population genetics (Boyd and Richerson, 1985; Cavalli-Sforza and Feldman, 1981; Neiman, 1995) provide a good starting place. Their models incorporate stochastic autoregressive processes in which the probability distribution of outcomes at a given time are dependent upon the outcomes from the immediate past. Mathematically, then we can treat cultural transmission models as Markov processes, usually of first order (i.e., without dependencies on states previous to the immediate past state). Such models are certainly capable of making large changes in state over short time intervals, but large jumps are rare compared to small changes in state, especially in large populations. This is the reason why we (and culture historians) often have an expectation that cultural transmission has a “gradual” character to it.

The probabilistic gradualism of change over small time periods in our cultural transmission processes explains the “continuity” principle that is embedded in traditional forms of seriation. Continuity is strongly related to notions of continuous functions in mathematics: samples which originate close together in time, space, or both will be close in type frequency and the presence/absence of types, especially compared to samples which are further apart. This continuity principle immediately leads to considering ordering algorithms based upon minimizing a suitable distance metric, with assemblages represented by points in a multidimensional space of type frequencies or counts.

2.3 Statistical Seriation Methods

The earliest statistical techniques for seriation were also built upon using interassemblage distance metrics. Brainerd and Robinson (Brainerd, 1951; Robinson, 1951) pioneered a method for seriation based upon the similarity between assemblages, measured as a scaled version of the Manhattan (or city-block) distance between assemblage frequencies. When these scaled distances (which became known

as Brainerd-Robinson coefficients) are arranged in a matrix with the largest values nearest the diagonal and the lowest values in the corners and away from the diagonal, the order of assemblages by row or column provides the seriation solution. In practice, most real data matrices cannot be put in perfect Robinson form without violations from the assumptions of the seriation model.

Brainerd and Robinson's pioneering work became the basis of a minor industry that developed methods for matrix ordering in the face of the practical difficulties in coercing most data sets into a perfect linear ordering (e.g., [Dempsey and Baumhoff, 1963](#); [Kendall, 1963](#); [Matthews, 1963](#); [Bordaz and Bordaz, 1970](#); [Gardin, 1970](#); [Kendall, 1970, 1971](#)). As access to computers by researchers in the social sciences increased, computerized algorithms for examining permutations quickly proliferated ([Ascher and Ascher, 1963](#); [Craytor and Johnson, 1968](#); [Kuzara et al., 1966](#)). Kendall (1969) and others attacked the ordering problem through the use of multidimensional scaling. For a detailed review of the many variants on this type of probabilistic seriation solution through the late 1970s, see ([Marquardt, 1978](#)). Most recently correspondence analysis has been used with success in determining probabilistic seriation orders, and just as importantly, quantifying the degree of departure from the ideal seriation model ([Smith and Neiman, 2005](#)).

Not all of the similarity measures used in this literature are true distance metrics, but many are, and there have been calls to simplify the problem by directly minimizing inter-assemblage distance, and thus the total "path length" of a candidate seriation solution. Kadane (1971) describes this approach, and it was adopted later by Shepardson (2006) in his construction of the "Optipath" seriation algorithm, which has distance minimization at its core.

Where existing distance/similarity methods encounter a problem is the assumption that a seriation solution must be a single linear order. In an earlier paper, we describe a seriation algorithm (iterative deterministic seriation solutions, or IDSS) that finds all of the possible orders in a set of data that conform to an ordering principle, and where those orders have overlap in assemblages ([Lipo et al., 2015](#)). Using this ordering principle, IDSS constructs a graph with branches that recognizes that the best solutions may not be linear. In probabilistic approaches to seriation such as MDS or correspondence analysis, departures from linear solutions have always been treated as "stress" or "error." Practitioners usually recognize that such departures arise from coercing data which naturally sit in a larger number of dimensions – because of spatial variation and other factors – into a one-dimensional order. In essence, methods which attempt to coerce a complex spatiotemporal pattern into a linear ordering tend to treat departures from linearity as noise, which is then ignored.

But the departure from linearity is not "noise," in the statistical sense. Especially if one accounts for sampling error in constructing seriation orders (as we do in IDSS by using the bootstrap to construct confidence intervals around the empirical frequencies), then departures from a linear ordering are **signal**, not noise. Such solutions reflect the fact that an assemblage at time T_1 , for example, may be the closest match to two different assemblages at later times T_2 and T_3 for example, given slightly different areas of overlap in their type frequencies. This pattern can occur because the seriation method is inherently spatiotemporal, instead of simply

measuring time (as culture historians have always known), and it can also reflect the splitting of populations into separate lineages (or their merger).

2.4 Exact Distance Minimization Ordering: “Continuity” Seriation

Instead of the “approximate” distance minimization algorithms employed in multi-dimensional scaling, we explore exact solutions using our IDSS algorithm. For simplicity in the configuration of the software, we summarize our approach by calling it “continuity” seriation, to distinguish it from unimodal-based frequency seriation and to emphasize that we want solutions that have the smoothest, most continuous transition of type frequencies when we consider pairs of assemblages. We achieve this by locally minimizing the inter-assemblage distance within the solution graph, which automatically yields the minimum total “path length” for a seriation solution.

Our algorithm makes no use of the unimodality criterion, and produces equivalent results in almost all cases, as we show in the next section. The algorithm currently employs the Euclidean distance between assemblage counts or frequencies, although it can use any distance metric. The Euclidean distance has the advantage of treating each class as equivalent measures, a property consistent with the use of paradigmatic classification (*sensu* ?) for generating measurement classes. Given a table of inter-assemblage distance metrics, we first construct pairs of two-vertex graphs which represent the “closest” assemblage for each assemblage in the data set (mirrored pairs are filtered out since they are isomorphic). The edge weight given to each edge is the Euclidean distance between the assemblages represented by vertices. For each of the minimal graphs in this initial set, we then find the assemblage with the shortest distance to each of the two ends, and continue iterating. Crucially, if there are equal-distance options, both possible solutions are retained. The result of this iteration is a collection of graphs which represent partial minimum-distance paths through the set of assemblages. This collection of partial graphs are then overlaid to form a single solution using a “minmax” approach as described in our paper on the IDSS algorithm in general (Lipo et al., 2015).

The general approach is the same one we take to frequency seriation; what differs here with “continuity” seriation is how we form the set of candidate partial solutions. Instead of enforcing unimodality within each partial solution, we minimize Euclidean inter-assemblage distance. The resulting minmax graph is linear only if all of the candidate partial solutions perfectly overlay themselves into a linear solution, and otherwise will have a tree structure with branches. The possibility of branching is what allows a seriation solution to express both spatial and temporal structure simultaneously. The ability to inform on both allows investigation of social network structure, and interaction and social learning patterns in past populations, at scales more detailed than entire cultural manifestations or phases. We believe that seriation, augmented in this way, sits between the microevolutionary level where we investigate evolution in single populations, and the macroevolutionary level, best explored using the tools of phylogenetic analysis and cladistic techniques.

3 Comparing Frequency and Continuity Seriation

In this section we compare the results of our IDSS frequency seriation algorithm, described in a recent paper (Lipo et al., 2015), and our exact distance-minimization or “continuity” algorithm. It is difficult to compare the algorithms on a very large set of empirical data sets, so we begin by examining a large sample of data sets generated by sampling simulated cultural transmission, within a regional metapopulation model of multiple communities. We described the overall model, called “SeriationCT,” in a conference paper last year, but we review the essentials here.²

Seriation of artifact assemblages is inherently a regional-scale problem, whether for chronology or tracking interaction and social learning processes. Thus, the fundamental abstraction for modeling is a graph or network which (a) represents the intensity of contact, migration, and interaction between communities of people at any given point in time, (b) allows the set of communities to evolve, with some communities going away and others originating over time, and (c) representing how both the pattern and intensity of inter-community contacts evolves over time. Social network or graph models, especially weighted graphs, form an essential ingredient for this type of modeling, but need to be extended to the temporal dimension.

Extending networks for modeling time-transgressive change employs so-called “temporal network models,” which record the changing structure a network or graph over a series of time points (Holme and Saramäki, 2012). For our purposes, “interval” temporal networks are the right abstraction. Such graphs represent interactions that occur and persist over a measurable duration as edges that carry time indices. Interval graphs can be modeled mathematically in a number of ways, but in an algorithmic setting the most convenient is to define a sequence of separate graphs, where each graph G_t in the sequence represents one or more change events within the network between times t and $t + \delta t$ (where $\delta t = t + 1 - t$). In a fully continuous temporal representation, each graph in the sequence specifies a single change event, and thus is equivalent to the way that a continuous-time stochastic process represents events. In situations where our observations are coarse grained due to time averaging or recovery methods (or both), each graph in the sequence may represent a number of change events which occur over the duration assigned to that graph in the sequence.

Change events encompass anything that modifies the graph. Vertices may be added or removed, and edges may be added or removed. In addition to addition and removal, if the graphs in the sequence are weighted, slices may record events where the strength of an edge changes, without other topological changes to the graph. If other attributes are present on vertices or edges (e.g., labeling edges for a type of interaction), changes to those labelled attributes would also constitute a change event and would be recorded by a graph in the sequence with changed attribute values. An interval temporal network is thus defined as an ordered set of graph “slices,”

² The SeriationCT software is open source, and is located at [Github](#). Experiments using it to generate the data analyzed here, and more network models, are described and linked on [Madsen’s website and lab notebook](#).

each slice associated with a time index. The changes themselves can be found by “subtracting” two graph slices and obtaining lists of vertex and edge changes.

Constructing a time-transgressive regional metapopulation from an interval temporal network occurs by giving interpretations to vertices, edges, and other attributes of the graph. In our research, vertices represent communities of individuals, with population sizes which may change or not over time. Edges represent the presence of interaction between two communities, which could represent learning between individuals, or migration of individuals bringing portions of a cultural repertoire between communities. The weight given to an edge is typically a relative measure of interaction between communities, normalized by the rest of the communities, since there is no good way in a simple structure like this to model the absolute intensity of such interaction. When communities come into existence, by members of an existing community founding a new settlement, a vertex is added to the network and it acquires connections to other communities (according to the class of model we are constructing). Similarly, communities may go away over time, and the vertex is then removed. Interaction patterns may change as well, resulting in the addition or removal of edges over time, or change in the edge weights.

For example, we can create a model whereby two clusters of communities are tightly interconnected internally, and have some sparser relationship between the clusters, and slowly lose that interconnection to become separate, non communicating lineages, using a model similar to that shown in Figure 3.

The third and fourth columns in the figure describe the change events. The third describes changes to the network structure in each time slice, and the fourth describes the interpretation of those structural changes in terms of a regional metapopulation model.

Interval temporal networks, interpreted as regional metapopulation models, thus form a basic tool for modeling many classes of regional histories and interaction patterns. For purposes of comparing frequency and our continuity seriation algorithms, we focus on a regional model of the type depicted in Figure 3, but with a larger number of communities than shown. In that model, four clusters of communities start out at the beginning of the time period under consideration being tightly interconnected within each cluster, and more loosely connected among the four clusters. At any given time, each cluster has 8 communities spread over a geographic area, so with four clusters, there are 32 communities in the region under consideration. At a late point in the time interval under consideration, the connections between pairs of clusters is removed, creating two non-interacting sets of community clusters, to model the origin of separate “lineages” of cultural transmission in a region.³

Given this model of interaction between communities, we then simulate the standard unbiased cultural transmission model across this network. The changes specified by the temporal network guide the addition of new subpopulations or their demise in the model, and the edge weight pattern defines migration of individu-

³ This model is available for inspection as a set of GML network files in experiment “sc-2” in the [experiment-seriation-classification](#) repository maintained by Madsen. That experiment focused on differentiating different classes of lineage-splitting or coalescence models through their seriation solutions, and here I focus only on the data resulting the “early lineage splitting” model.




Fig. 3 Example of an interval temporal network interpreted as a regional metapopulation model, with vertices representing communities, weighted edges representing intensity of interaction and migration, and changes in each representing their respective evolution over time.

als between communities, and thus the possibility of cultural variants flowing between communities. Simulation of transmission occurs for 12,000 time steps, with the change events occurring regularly over that interval, creating change in interaction over time as social learning proceeds.

During the evolution of the model, we record the frequencies of individual variants, and their co-occurrence to mimic archaeological classes or types which are defined by multiple dimensions of variation. Recording of frequencies occurs within each of the 32 communities present at any given point in time, so we can measure spatial and temporal variation in cultural variants. For purposes of the experiments reported here, we sample innovation rates from a prior distribution which allows any given simulation run to have a very low innovation rate, through relatively high innovation rates.⁴

Following simulation and data recording, the raw data are processed in ways that mimic the time averaging that occurs in archaeological deposits, and the sampling that archaeologists do when taking surface collections from such aggregated deposits. This chain of processing is depicted in Figure 4. First, recorded cultural variants are aggregated for each community across the simulated time that community

⁴ The details of the prior parameter distributions are relatively unimportant for purposes of comparing seriation algorithms, but are found in the [experiment-seriation-classification](#) repository under experiment SC-2 in the file “seriationct-priors.json”.




Fig. 4 Processing steps in simulating cultural transmission on a regional metapopulation model of lineage splitting, to compare seriation ordering algorithms.

existed, so that all variant frequencies are time averaged in the manner described and modeled by Premo (2014) and Madsen (2012). Then, from the time averaged data for each community, an assemblage of 500 simulated artifacts is drawn from the raw data. This has a tendency to represent common variants well, and capture some but not all rare variants. From this sampled data, we then take a sample of the available communities, since seriations are always performed on a sample of archaeological deposits selected by the archaeologist (whether in rigorous or ad hoc ways). Finally, we filter the types present in each group of assemblages, to remove those

types which are present only in one assemblage (as one would do in a manually constructed seriation), since those types do not contribute to ordering.

The resulting set of assemblage-level type frequencies were then fed into our IDSS seriation program, asking it to produce both a frequency seriation using unimodality as the ordering criterion, and a continuity seriation, using exact distance minimization as the ordering criterion. We did this for 50 simulation runs with different parameters across the “lineage splitting” regional model described above, and compared the resulting seriation solutions. We measure whether frequency and continuity solutions are identical by testing whether the solution graphs are isomorphic, which means that the same vertices are connected to the same neighbors by the same edges. Of the 50 simulation runs examined here, in 80% of cases the continuity and frequency seriations give an exactly identical solution. Of the remaining non-identical solutions, we find that the differences nearly always involve the repositioning of a single assemblage. In the next section, we examine such a case in detail to understand what drives such differences when they occur.

3.1 Examining a Solution Which Differs




Fig. 5 Frequency seriation solution for simulation run f8a6f378 on the “lineage splitting” regional interaction model.

Of the differing solutions, we selected one (f8a6f378) at random to show the details of how frequency and continuity solutions differ. Figures 5 and 6 depict the frequency and continuity seriations, respectively, in the form of graphs which connect assemblages which are “adjacent” in the seriation solution. This makes it easier to see where an assemblage is really part of several solutions, which can indicate lineage splitting or differentiation occurring over space. We introduced this format for seriation solutions in our recent article on IDSS seriation (Lipo et al., 2015).




Fig. 6 Continuity seriation solution for simulation run f8a6f378 on the “lineage splitting” regional interaction model.

Although the graphs are laid out slightly differently (as a function of an automated graph layout algorithm), it is apparent that most of the seriation ordering is the same. Simulated assemblage 954-864 anchors one end of the ordering, while assemblage 112-482 anchors the other.⁵ Both solutions also show a branch for assemblage 402-995, which belongs to one of the two lineages after the connections between two sets of communities is lost. It is a single assemblage branch because of the vagaries of sampling assemblages out of the total set of communities in this example. The main difference between the solutions comes in assemblage 618-780 and where it connects. In the frequency solution it occurs “inline” while in the con-

⁵ Simulated assemblage names here reflect geographic coordinates, since regional interaction models often bias interaction and migration by location or neighborhood.

tinuity solution, interassemblage distance is minimized by removing it to a small branch of its own.

Assemblage Name	6022-0-1767	36526	36557	7005-0-1767	7628-0-1767	0-9222-3	1-0-1767	3771	6996-4-3
assemblage-954-864	10	160	0	49	92	0	0	0	9
assemblage-970-448	0	155	0	74	128	0	0	0	14
assemblage-618-780	123	50	0	164	121	0	13	0	14
assemblage-506-308	107	58	0	199	114	0	9	0	13
assemblage-874-851	81	66	0	165	0	0	162	6	17
assemblage-874-851	81	66	0	165	0	0	162	6	17
assemblage-655-312	0	52	16	111	0	20	269	6	26
assemblage-1005-552	0	53	32	72	0	61	182	41	8
assemblage-823-113	0	145	81	0	0	64	132	10	14
assemblage-112-482	0	24	151	0	0	157	81	49	9
assemblage-874-851	81	66	0	165	0	0	162	6	17
assemblage-402-995	106	65	0	29	0	0	192	0	7

Table 1 Raw data for frequency seriation for simulation run f8a6f378, grouped into blocks corresponding to the branches of the solution graph

Viewed in traditional tabular view of the type counts in Tables 1 and 2 or as traditional centered bar charts in Figures 7 and 8, several features are apparent. First, there are apparent violations of unimodality in the frequency seriation. But given our IDSS algorithm, we calculate a 95% confidence interval around each type count given the total sample size, and thus there are small differences (compared to the larger values) which are not statistically significant. Second, we can see that continuity solutions allow violations of unimodality (e.g., assemblage 823-113) but come up with the same overall structure. To us, this shows that unimodality is sufficient but not necessary for using a seriation method to track the spatiotemporal structure of cultural transmission.

3.2 Multiple Seriations for Phillips, Ford and Griffin (1951) data

Simulations of cultural transmission may give us the ability to probe the consequences of altering a model, and simulations are very useful for developing large samples of seriation solutions and understanding their properties. But simulations do not replace seriations of real data. To that end, we extend the Lower Mississippi River Valley example from our recent work (Lipo et al., 2015) by comparing frequency and continuity seriation algorithms on the same set of assemblages.⁶ The

⁶ We are archiving seriation datasets, with supporting information, licenses if available, and often with accompanying geographic information, and scripts to perform seriations on the data using

Assemblage Name	6022-0-1767	36526	36557	7005-0-1767	7628-0-1767	0-9222-3	1-0-1767	3771	6996-4-3
assemblage-954-864	10	160	0	49	92	0	0	0	9
assemblage-970-448	0	155	0	74	128	0	0	0	14
assemblage-506-308	107	58	0	199	114	0	9	0	13
assemblage-874-851	81	66	0	165	0	0	162	6	17
assemblage-655-312	0	52	16	111	0	20	269	6	26
assemblage-1005-552	0	53	32	72	0	61	182	41	8
assemblage-823-113	0	145	81	0	0	64	132	10	14
assemblage-112-482	0	24	151	0	0	157	81	49	9
assemblage-874-851	81	66	0	165	0	0	162	6	17
assemblage-402-995	106	65	0	29	0	0	192	0	7
assemblage-506-308	107	58	0	199	114	0	9	0	13
assemblage-618-780	123	50	0	164	121	0	13	0	14

Table 2 Raw data for continuity seriation for simulation run f8a6f378, grouped into blocks corresponding to the branches of the solution graph

result is depicted in Figure 9. The result is identical – the two solutions are isomorphic.

4 Discussion

The fact that distance minimization can function as a seriation ordering algorithm is not a new idea. Not only has there been development of the idea within archaeological circles in the work of Kadane, Shepherdson, and others, but distance minimization of one type or another underpins most classical multivariate statistics and nearly all of contemporary machine learning. Our principal contributions here have been to explicate the relationship between different seriation ordering algorithms, and to reintroduce distance minimization in an “exact” rather than statistical form.

Exact distance minimization as a means of tracing patterns of cultural transmission is only possible if we do not coerce the data into a single linear ordering, as has been the practice in all previous work. In these previous applications, the departures from linearity have been considered statistical noise or “stress,” and disregarded. From a culture transmission model, however, noise only enters the seriation problem as sampling error of counts or frequencies given the size of sample taken by the analyst. We can control this type of noise by using bootstrap confidence intervals around the empirical frequencies when we make ordering decisions. Our IDSS software system does so by default. Thus, once the effects of sampling are controlled departures from linearity cannot be noise, but are telling us something else about our data. In our judgment, those departures from perfect linearity are telling

our IDSS program, in the [seriation-datasets repository](#) in Github. If you would like to contribute a dataset, please contact Mark Madsen or send a pull request.




Fig. 7 Centered bar chart representation of the relative frequencies of type for simulation run f8a6f378 built with the IDSS frequency seriation algorithm. The groups correspond to the branches of the solution graph.

us about the simultaneous effects of spatial variation, temporal order, and the structure of the social networks of interaction within which past cultural transmission occurred.

Thus, our approach to both frequency and continuity seriation allows partial solutions (each of which **is** a valid linear ordering) to agglomerate to form graphs or networks of solutions, given vertices (assemblages) which overlap between the sub-solutions. The resulting seriation graphs give us a more complete picture of




Fig. 8 Centered bar chart representation of the relative frequencies of type for simulation run f8a6f378 built with the IDSS continuity seriation algorithm. The groups correspond to the branches of the solution graph.

the multiple causes that drive seriations than do traditional linear orders, whether perfect or coerced by a statistical method.

The search for additional ordering methods led us to reconsider distance minimization methods, and although it is not unexpected that such methods work, it is a happy result. Continuity techniques have a much lower computational burden than searching for unimodality, especially as the number of assemblages gets large. For the Phillips, Ford and Griffin assemblages discussed here, the frequency solu-




Fig. 9 Seriation solution with frequency and continuity seriation for PFG (1951) ceramic assemblages in the Lower Mississippi River Valley, as analyzed by Lipo (2001b) and re-analyzed by Lipo et al. (2015). There are no differences between frequency and continuity ordering algorithms in analyzing this set of assemblages, and thus only one graph is shown.

tion took 25.2 seconds on an 8 core system, while continuity analysis took 0.955 seconds, for a speedup of 26x. This performance difference should be taken as a minimum on the difference between algorithms, because our current algorithm for unimodality analysis is parallelized for a critical section across all of those cores, while continuity is still a serial algorithm and only uses a single core. Realistically, we should see a much larger speedup with further development, especially given the wealth of parallel algorithms for distance metric computations in contemporary machine learning. The latter will allow continuity methods to be fruitfully used even for “big” datasets of the type easily gathered in online settings. This method effectively has no limit as to the number of assemblages that can be analyzed.

Seriation is among the oldest of the purely archaeological methods for determining both chronology and cultural relatedness, but we find that it continues to repay detailed exploration by archaeologists and students of cultural evolution. It is fully complementary to phylogenetic methods and cladistics in many ways, especially in its ability to use detailed information about trait abundances and the spatial pattern of those abundances instead of largely presence/absence data on character states.

This makes seriation, in our view, the method of choice for “mesoscale” problems and questions.

References

- Ammerman, A.J., Cavalli-Sforza, L.L., 1971. Measuring the rate of spread of early farming in Europe. *Man*, 674–688.
- Ascher, M., Ascher, R., 1963. Chronological ordering by computer. *American Anthropologist* 65, 1045–1052.
- Beals, R.L., Brainerd, G.W., Smith, W., 1945. Archaeological studies in northeast Arizona. University of California Publications in American Archaeology and Ethnology 44.
- Bloom, E., 1951. Ceramic sequence in central basin and Hopewell sites in central Illinois. *American Antiquity* 16, 301–312.
- Bordaz, V.v.H., Bordaz, J., 1970. A computer pattern recognition method of classification and seriation applied to archaeological material, in: Gardin, J.C. (Ed.), *Archéologie et Calculateurs*. Centre National de la Recherche Scientifique, pp. 229–244.
- Boyd, R., Richerson, P., 1985. *Culture and the Evolutionary Process*. University of Chicago Press, Chicago.
- Brainerd, G.W., 1951. The place of chronological ordering in archaeological analysis. *American Antiquity* 16, 301–312.
- Cavalli-Sforza, L., Feldman, M.W., 1981. *Cultural Transmission and Evolution: A Quantitative Approach*. Princeton University Press, Princeton.
- Craytor, W.B., Johnson, L., 1968. Refinements in computerized item seriation. Museum of Natural History, University of Oregon.
- Deetz, J., Dethlefsen, E.S., 1965. The Doppler-effect and archaeology: a consideration of the spatial aspects of seriation. *Southwestern Journal of Anthropology* 21, 196–206.
- Deetz, J., Dethlefsen, E.S., 1971. Some social aspects of New England colonial mortuary art. *Memoirs of the Society for American Archaeology* 25, 30–38.
- Dempsey, P., Baumhoff, M., 1963. The statistical use of artifact distributions to establish chronological sequence. *American Antiquity*, 496–509.
- Dunnell, R., 1981. Seriation, groups, and measurements. *Union International de Ciencias Prehistoricas y Protohistoricas, Mexico, DF*. pp. 67–90.
- Dunnell, R.C., 1970. Seriation method and its evaluation. *American Antiquity* 35, 305–319.
- Dunnell, R.C., 1978. Style and function: a fundamental dichotomy. *American Antiquity* 43, 192–202.
- Evans, C., 1955. A ceramic study of Virginia Archaeology. *BAE Bulletin* 160, Washington.
- Ford, J.A., 1935. Ceramic Decoration Sequence at an Old Indian Village Site near Sicily Island, Louisiana. Dept. Conservation, Louisiana Geological Survey, New Orleans.
- Ford, J.A., 1938. A chronological method applicable to the southeast. *American Antiquity* 3, 260–264.
- Ford, J.A., 1949. Cultural dating of prehistoric sites in Viru Valley, Peru. volume 43 of *Anthropological Papers*. American Museum of Natural History, New York.
- Ford, J.A., 1962. A Quantitative Method for Deriving Cultural Chronology. Technical Manual, No. 1. Pan American Union.
- Gardin, J.C., 1970. A computer pattern recognition method of classification and seriation applied to archaeological material *Archaeologie et Calculateurs*, 229–244.
- Holme, P., Saramäki, J., 2012. Temporal networks. *Physics reports* 519, 97–125.
- Kadane, J.B., 1971. Chronological ordering of archaeological deposits by the minimum path length method. Center for Naval Analyses, Arlington, VA.
- Kendall, D.G., 1963. A statistical approach to Flinders Petrie’s sequence dating. *Bulletin of the International Statistical Institute* 40, 657–680.

- Kendall, D.G., 1969. Some problems and methods in statistical archaeology. *World Archaeology* 1, 68–76.
- Kendall, D.G., 1970. A mathematical approach to seriation. *Philosophical Transactions of the Royal Society, Series A, Mathematical and Physical Sciences* 269, 125–135.
- Kendall, D.G.a., 1971. Seriation from abundance matrices. *Zeitschrift für Wahrscheinlichkeitstheorie und Verwandte Gebiete*, 214–252.
- Kidder, A.V., 1917. A design sequence from new mexico. *Proceedings of the National Academy of Sciences* 3, 369–370.
- Krieger, A.D., 1944. The typological concept. *American Antiquity* 3, 271–288.
- Kroeber, A., 1937. Diffusion. *The Encyclopedia of Social Science*, II, 137–142.
- Kroeber, A.L., 1916. Zuni potsherds. *American Museum of Natural History Anthropological Papers* 18, 1–37.
- Kroeber, A.L., 1923. *Cultural Patterns and Processes*. Harbinger, New York.
- Kuzara, R.S., Mead, G.R., Dixon, K.A., 1966. Seriation of anthropological data: A computer program for matrix-ordering. *American Anthropologist* 68, 1442–1455.
- Lipo, C., Madsen, M., 2000. Neutrality, "style," and drift: Building methods for studying cultural transmission in the archaeological record, in: Hurt, T.D., Rakita, G.F.M. (Eds.), *Style and Function: Conceptual Issues in Evolutionary Archaeology*. Bergin and Garvey, Westport, Connecticut, pp. 91–118.
- Lipo, C.P., 2001a. Science, Style and the Study of Community Structure: An Example from the Central Mississippi River Valley. *British Archaeological Reports, International Series*, no. 918, Oxford.
- Lipo, C.P., 2001b. Science, Style and the Study of Community Structure: An Example from the Central Mississippi River Valley. *British Archaeological Reports, International Series*, no. 918, Oxford.
- Lipo, C.P., 2005. The resolution of cultural phylogenies using graphs, in: *Mapping Our Ancestors: Phylogenetic Methods in Anthropology and Prehistory*. Aldine Transaction Press, New York, pp. 89–107.
- Lipo, C.P., Eerkens, J.W., 2008. Culture history, cultural transmission, and explanation of seriation in the southeastern united states, in: *Cultural Transmission and Archaeology: Issues and Case Studies*. Society for American Archaeology Press, Washington, DC, pp. 120–131.
- Lipo, C.P., Madsen, M.E., 1997. The method seriation: Explaining the variability in the frequencies of types, in: *62nd Annual Meeting for the Society for American Archaeology*.
- Lipo, C.P., Madsen, M.E., 2001. Neutrality, "style," and drift: building methods for studying cultural transmission in the archaeological record, in: Hurt, T.D., Rakita, G.F.M. (Eds.), *Style and Function: Conceptual Issues in Evolutionary Archaeology*. Bergin and Garvey, Westport, Connecticut, pp. 91–118.
- Lipo, C.P., Madsen, M.E., Dunnell, R.C., 2015. A theoretically-sufficient and computationally-practical technique for deterministic frequency seriation. *PLoS ONE* 10, e0124942.
- Lipo, C.P., Madsen, M.E., Dunnell, R.C., Hunt, T., 1997. Population structure, cultural transmission, and frequency seriation. *Journal of Anthropological Archaeology* 16, 301 – 333.
- Lyman, R., O'Brien, M., Dunnell, R., 1997. *The rise and fall of culture history*. Springer.
- Lyman, R.L., 2008. Cultural transmission in north american anthropology and archaeology, ca. 1895-1965, in: O'Brien, M. (Ed.), *Cultural Transmsision and Archaeology: Issues and Case Studies*. SAA Press, pp. 10–20.
- Lyman, R.L., O'Brien, M., 2006. *Measuring Time with Artifacts*. University of Nebraska, Lincoln.
- Madsen, M., Lipo, C.P., 2015. An approach to fitting transmission models to seriations for regional-scale analysis, in: Paper presented at the 80th Annual Meeting of the Society for American Archaeology, San Francisco, CA.
- Madsen, M.E., 2012. Unbiased cultural transmission in time-averaged archaeological assemblages. ArXiv e-prints 1204.2043. <http://arxiv.org/abs/1204.2043>.
- Madsen, M.E., Lipo, C.P., 2014. Combinatorial structure of the deterministic seriation method with multiple subset solutions. [Http://arxiv.org/abs/1412.6060](http://arxiv.org/abs/1412.6060).

- Madsen, M.E., Lipo, C.P., Bentley, R.A., 2008. Explaining seriation patterns through network-structured cultural transmission models, in: Poster presented at the 73rd Annual Meeting of the Society for American Archaeology.
- Marquardt, W.H., 1978. Advances in archaeological seriation. *Advances in Archaeological Seriation* 1, 257–314.
- Matthews, J., 1963. Application of matrix analysis to archaeological problems. *Nature* 198, 930–934.
- Mayer-Oakes, W.J., 1955. *Prehistory of the Upper Ohio Valley: A Introductory Study*. Carnegie Museum, Annals Vo. 34, Pittsburgh.
- Meggers, B.J., Evans, C., 1957. Archaeological investigation in the mouth of the Amazon. *Bureau of American Ethnology, Bulletin* 167, Washington.
- Mesoudi, A., Whiten, A., Mesoudi, A., Whiten, A., 2008. The multiple roles of cultural transmission experiments in understanding human cultural evolution. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences* 363, 3489–3501.
- Neiman, F.D., 1990. *An Evolutionary Approach to Archaeological Inference: Aspects of Architectural Variation in the 17th Century Chesapeake*. Ph.D. thesis. Yale University.
- Neiman, F.D., 1995. Stylistic variation in evolutionary perspective: inferences from decorative diversity and interassemblage distance in illinois woodland ceramic assemblages. *American Antiquity* 60, 7.
- Nelson, N.C., 1916. Chronology of the tano ruins, new mexico. *American Anthropologist* 18, 159–180.
- O'Brien, M., Lyman, R., 1998. James A. Ford and the growth of Americanist archaeology. *Univ of Missouri Pr.*
- O'Brien, M.J., Boulanger, M.T., Buchanan, B., Bentley, R.A., Lyman, R.L., Lipo, C.P., Madsen, M.E., Eren, M.I., 2015. Design space and cultural transmission: Case studies from paleoindian eastern north america. *Journal of Archaeological Method and Theory* , 1–49.
- O'Brien, M.J., Lyman, R.L., 1999. *Seriation, Stratigraphy, and Index Fossils. The Backbone of Archaeological Dating*. Kluwer Academic/Plenum, New York.
- O'Brien, M.J., Lyman, R.L., 2000. *Applying evolutionary archaeology: A systematic approach*. Springer.
- Petrie, F.W.M., 1899. Sequences in prehistoric remains. *Journal of the Anthropological Institute* 29, 295–301.
- Phillips, P., Ford, J.A., Griffin, J.B., 1951. *Archaeological Survey in the Lower Mississippi Alluvial Valley, 1940-1947*. volume 25. Peabody Museum, Harvard University, Cambridge.
- Premo, L.S., 2014. Cultural Transmission and Diversity in Time-Averaged Assemblages. *Current Anthropology* 55, 105–114.
- Robinson, W.S., 1951. A method for chronologically ordering archaeological deposits. *American Antiquity* 16, 293–301.
- Rogers, E., 2003. *The Diffusion of Innovations*, 5th edition. Free Press, New York.
- Rouse, I., 1967. Seriation in archaeology, in: Riley, C., Taylor, W. (Eds.), *American Historical Anthropology*. Southern Illinois University Press, pp. 153–195.
- Rouse, I.B., 1939. *Prehistory in Haiti: A Study in Method*. Yale University Publications in Anthropology, No. 21, New Haven.
- Rowe, J.H., 1959. Archaeological dating and cultural process. *Southwestern Journal of Anthropology* , 317–324.
- Shepardson, B.L., 2006. *Explaining Spatial and Temporal Patterns of Energy Investment In The Prehistoric Statuary of Rapa Nui (Easter Island)*. Ph.D. thesis. University of Hawaii.
- Smith, C.S., 1950. The archaeology of coastal New York. *American Museum of Natural History, Anthropological Papers* 43(2), New York.
- Smith, K., Neiman, F.D., 2005. Frequency seriation, correspondence analysis, and woodland period ceramic assemblage variation in the deep south. *Southeastern Archaeology* 26, 49–72.
- Spier, L., 1917. An outline for a chronology of zuni ruins. *Anthropological Papers of the American Museum of Natural History* 18, 209–331.

- Teltser, P.A., 1995. Culture history, evolutionary theory, and frequency seriation, in: Teltser, P.A. (Ed.), *Evolutionary Archaeology: Methodological Issues*. University of Arizona Press, Tucson, pp. 51–68.
- Whitlam, R.G., 1981. Problems in ceramic classification and chronology: An example from the mobile bay area, alabama. *Midcontinental Journal of Archaeology* 6, 179–206.
- Wissler, C., 1916. The application of statistical methods to the data on the trenton argillite culture. *American Anthropologist* 18, 190–197.